

Contents

| | |
|--|-----|
| Theory, simulation, and modeling of interfaces in materials—bridging the length-scale gap: a workshop report | 1 |
| W.E. King, G. Campbell, T. Gonis, G. Henshall, D. Lesuer, E. Zywickz and S. Foiles (Livermore, CA, USA) | |
| Effects of hydrogen on ductile fracture of a spheroidized low alloy steel. | 17 |
| H.J. Maier (Siegen, Germany), W. Popp (Frankfurt, Germany) and H. Kaesche (Erlangen, Germany) | |
| Finite element simulations of ductile rupture in a constrained metal foil. | 27 |
| S.R. Chowdhury and R. Narasimhan (Bangalore, India) | |
| Flow behaviour and microstructure development of forged Ti-25Al-10Nb-3V-1Mo (super α_2). | 39 |
| C. Huang, T.A. Dean and M.H. Loretto (Birmingham, UK) | |
| Processing and high temperature deformation of Al ₂ O ₃ fiber-reinforced NiAlFe matrix composites | 49 |
| C. Liu, S.M. Jeng, J.M. Yang (Los Angeles, CA, USA) and R.A. Amato (Cincinnati, OH, USA) | |
| Mechanical behavior and development of dislocation arrangements of f.c.c. single crystals fatigued at 77 K. | 61 |
| J. Bretschneider, C. Holste and W. Kleinert (Dresden, Germany) | |
| The grain size dependence of ductile fracture toughness of polycrystalline metals and alloys | 73 |
| Z. Fan (Guildford, UK) | |
| Analogy between creep cycles and stress relaxation series for activation volume measurement | 85 |
| A. Orlová (Brno, Czech Republic), J. Bonneville and P. Spätig (Lausanne, Switzerland) | |
| Microstructure and mechanical properties of an Fe-Al alloy of low aluminium content | 91 |
| D.G. Morris, D. Peguiron (Neuchatel, Switzerland), M. Nazmy and C. Nosedá (Baden, Switzerland) | |
| Identification of elastic constants of alloys with sheet and fibre textures based on resonance measurements and finite element analysis | 105 |
| J. Han, A. Bertram, J. Olschewski (Berlin, Germany), W. Hermann and H.G. Sockel (Erlangen, Germany) | |
| Improvement of strength and fracture toughness of a spray-deposited Al-Cu-Mg-Ag-Mn-Ti-Zr alloy by optimized heat treatments and thermomechanical treatments. | 113 |
| O. Beffort, C. Solenthaler and M.O. Speidel (Zurich, Switzerland) | |
| High toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures | 121 |
| O. Beffort, C. Solenthaler, P.J. Uggowitzer and M.O. Speidel (Zurich, Switzerland) | |
| In defense of diffusional creep. | 135 |
| B. Burton and G.L. Reynolds (Berkeley, UK) | |
| Grain refinement and superplasticity in 5083 Al | 143 |
| R. Verma, A.K. Ghosh (Ann Arbor, MI, USA), S. Kim and C. Kim (Warren, MI, USA) | |
| Measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber | 151 |
| R. Verma, A.K. Ghosh (Ann Arbor, MI, USA), H. Merrick and T. Mukherji (Stratford, CT, USA) | |
| Thermomechanical properties of Ni-Al ₂ O ₃ metal matrix composites produced by electroforming | 165 |
| M. Verelst, J.P. Bonino, M. Brieu and A. Rousset (Toulouse, France) | |
| Modeling of droplet-gas interactions in spray atomization of Ta-2.5W alloy | 171 |
| H. Liu, R.H. Rangel and J. Lavernia (Irvine, CA, USA) | |
| Calorimetric study on precipitation path in 2024 alloy and its SiC composite | 185 |
| C. Badini, F. Marino and E. Verné (Torino, Italy) | |

| | |
|--|-----|
| Martensitic transformations in single crystals of Cu-Al-Ni induced by tensile stress | 193 |
| V. Novák, J. Malimánek and N. Zarubová (Praha, Czech Republic) | |
| Permeability for flow normal to a sparse array of fibres | 203 |
| D. Nagelhout, M.S. Bhat, J.C. Heinrich and D.R. Poirier (Tucson, AZ, USA) | |
| Reactions at the matrix/reinforcement interface in aluminum alloy matrix composites | 209 |
| R. Mogilevsky (Chicago, IL, USA), S.R. Bryan (Cleveland, OH, USA), W.S. Wolbach (Bloomington, IL, USA), T.W. Krucek, R.D. Maier, G.L. Shoemaker (Cleveland, OH, USA), J.M. Chabala, K.K. Soni and R. Levi-Setti (Chicago, IL, USA) | |
| The oxidation of Ni ₃ Si-base alloys | 223 |
| N. Sukidi, C.C. Koch (Raleigh, NC, USA) and C.T. Liu (Oak Ridge, TN, USA) | |
| Growth, structure and stress of sputtered TiB ₂ thin films | 233 |
| J. Chen and J.A. Barnard (Tuscaloosa, AL, USA) | |
| Microstructural development during diffusion bonding of α -silicon carbide to molybdenum | 239 |
| A.E. Martinelli and R.A.L. Drew (Montreal, Que., Canada) | |
| Laser ablated coatings on ceramic fibers for ceramic matrix composites. | 249 |
| C.M. Huang, Y. Xu (Urbana, IL, USA), F. Xiong (Evanston, IL, USA), A. Zangvil and W.M. Kriven (Urbana, IL, USA) | |
| High temperature dynamic fatigue performance of a hot isostatically pressed silicon nitride. | 257 |
| A.A. Wereszczak, T.P. Kirkland, K. Breder, M.K. Ferber (Oak Ridge, TN, USA) and P. Khandelwal (Indianapolis, IN, USA) | |
| Experimental study of the interaction of magnesium with the reinforcement in Al-Mg-Si alloy/ α -alumina platelet composites . . | 267 |
| V. Massardier, P. Kerdelhué, P. Merle (Villeurbanne, France) and J. Besson (Evry, France) | |
| ERRATA | 277 |
| CONFERENCE CALENDAR. | 279 |
| AUTHOR INDEX | 281 |
| SUBJECT INDEX | 283 |

